



911 SIGNAL TECHNOGY INC

Tel:+86-574-89017911 +86-400-6757-911

Fax:+86-574-82822560

Email:sales@911signal.com

Website:www.911signal.com

CN-Add:Room701-702,Hengwei Building,No.258, Tangao Lane,
Shounan Subdistrict,Yinzhou Area,Ningbo City,Zhejiang,China.

EU-Add:19 rue Pierre Curie, 92400, Courbevoie,FRANCE

Email: euoffice@911signalgroup.com

Tel:+33(0)659163209

WORKLIGHTS

Introducing 911Signal's Newest Series of Worklight Themed Under "Discovery"

We understand your uneasiness when probing your way ahead and we are here for you to conquer that unsettling darkness. This series of worklights carry on 911's signature style, the dialogue shape. Combining the most advanced LED illumination technology with powerful optics design, we manipulate the lights so that they could work on your side. Die-cast aluminum housing intensifies the structure. PC lens balances maximized light efficiency with durability.



Tractor



Combined Harvester



Excavator



Fire Truck



Tow Truck



Forwarder



Truck



Forklift




Ambulance



Snow Plough

The product description

SL can be easily fitted to the side of your vehicle. For those who are upgrading to a new scene light, you may find it super easy to install SL because the wire connector can be adjusted to the location that fits your original mounting location.




CODE	SL
Operating Voltage	10-33V
Power	15W
Color Temp	6000K
Lumen	1000lm
Lux(2M)	290lx
LED	9Pcs 2W LED
Connector	Cable
Mount	Side
Certification	ECE R10 05 2167



The product description

Robust design and streamline shape makes V30 a good fit to your machinery or vehicle. Its ergonomic plastic handle isolates the heat and makes carrying the light effortless.




CODE	V30-Long Range
Operating Voltage	10-33V
Power	43W
Color Temp	7000K
Lumen	3000lm
Lux(10M)	430lx
LED	16Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2170




CODE	V30-Close Range
Operating Voltage	10-33V
Power	43W
Color Temp	7000K
Lumen	3000lm
Lux(10M)	140lx
LED	16Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2170

The product description

S22 increases safety level and decreases accident rate in your working area by delivering homogenous illumination. Having a color temperature of 6000K, S22 simulates the conditions under daylight. S22 is glare-free and protects your eyes from getting hurt when looking to the direction of the light source. **EMC CLASS 5 certificate pending**




CODE	S22-Long Range
Operating Voltage	10-33V
Power	38W
Color Temp	7000K
Lumen	2200lm
Lux(10M)	530lx
LED	9Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2166




CODE	S22-Close Range
Operating Voltage	10-33V
Power	38W
Color Temp	7000K
Lumen	2200lm
Lux(10M)	130lx
LED	9Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2166

The product description

With its uniquely-shaped heatsink, V18 dissipates the heat generated by the LEDs regardless of the mounting positions. Double coated aluminum alloy housing makes V18 stay strong under extreme weathers and conditions.





CODE	V18-Long Range
Operating Voltage	10-33V
Power	30W
Color Temp	7000K
Lumen	1800lm
Lux(10M)	540lx
LED	6Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2165




CODE	V18-Close Range
Operating Voltage	10-33V
Power	30W
Color Temp	7000K
Lumen	1800lm
Lux(10M)	86lx
LED	6Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2165

The product description

C18 offers a higher light output than C8, reaching 1800 lumens. Opt for standing, suspending, or side mounting, C18 lights up your work area no matter where you would like to fit it in.





CODE	C18-Long Range
Operating Voltage	10-33V
Power	30W
Color Temp	7000K
Lumen	1800lm
Lux(10M)	280lx
LED	2Pcs 18W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2164




CODE	C18-Close Range
Operating Voltage	10-33V
Power	30W
Color Temp	7000K
Lumen	1800lm
Lux(10M)	200lx
LED	2Pcs 18W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2164

The product description

Its compact size(88x84x74mm) makes it applicable for multiple mounting locations. However, a minimized size doesn't mean compromised light output. Equipped with four powerful CREE LEDs and innovative reflector design, C8 boasts a light output as high as 800 lumens.







CODE	C8-Long Range
Operating Voltage	10-33V
Power	15W
Color Temp	7000K
Lumen	1000lm
Lux(10M)	340lx
LED	4Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2163






CODE	C8-Close Range
Operating Voltage	10-33V
Power	15W
Color Temp	7000K
Lumen	1000lm
Lux(10M)	150lx
LED	4Pcs 5W LED
Connector	DT Connectors/Cable
Mount	Side, Suspend, Stand
Certification	ECE R10 05 2163

The product description

V8 as a mini work light is suitable for versatile applications. Its stainless screws, bracket and aluminum housing minimize environmental damage. Equipped with four powerful LEDs , V8 boasts a light output as high as 800 lumens.



CODE	V8-Long Range
Operating Voltage	10-33V
Power	9.5W
Color Temp	6000K
Lumen	800lm
Lux(10M)	200lx
Item LED	4Pcs 3W LED
Connector	Cable
Mount	Side, Suspend, Stand
Certification	R10



CODE	V8-Close Range
Operating Voltage	10-33V
Power	9.5W
Color Temp	6000K
Lumen	800lm
Lux(10M)	56lx
LED	4Pcs 3W LED
Connector	Cable
Mount	Side, Suspend, Stand
Certification	R10



www.911signal.com